

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended): An external preparation for skin comprising:  
oleaginous substances extracted from germination-activated sporoderm-broken spores of *Ganoderma Lucidum* and a carrier,  
wherein said external preparation is a skin cosmetic and wherein said skin cosmetic is  
applied to ~~said~~ external skin of a human; ~~and~~  
wherein said oleaginous substances are extracted from said sporoderm-broken spores of *Ganoderma Lucidum* by an SCF-CO<sub>2</sub> method; and  
wherein said skin cosmetic is capable of smoothening said external skin of said human.

Claims 2-3 (cancelled)

Claim 4 (original): The external preparation according to claim 1, wherein said oleaginous substances are transparent and odorless.

Claim 5 (currently amended): The external preparation according to claim 1, wherein said ~~transparent and odorless oleaginous substances are extracted from said sporoderm-broken~~  
~~Ganoderma spores by a~~ supercritical fluid-carbon dioxide (SCF-CO<sub>2</sub>) extraction method is  
performed at with a temperature set of at about 32C to 45C.

Claims 6-7 (canceled).

Claim 8 (currently amended): The external preparation according to claim 1, wherein said skin cosmetic is further capable of reducing oleaginous substances reduces wrinkles from said external skin of said human.

Claim 9 (currently amended): The external preparation according to claim 1, wherein said skin cosmetic is further capable of defying oleaginous substances defy aging of said external skin of said human.

Claim 10 (currently amended): The external preparation according to claim 1, wherein said skin cosmetic is further capable of reducing oleaginous substances reduces pigmentation of said external skin of said human.

Claim 11 (cancelled)

Claim 12 (currently amended): The external preparation according to claim 23 [[11]], wherein said inflammation is caused by skin injury.

Claim 13 (currently amended): The external preparation according to claim 23 [[1]], wherein said topical formulation oleaginous substances is capable of reducing reduces skin irritation of said human.

Claim 14 (original): The external preparation according to claim 13, wherein said skin irritation is caused by herpes zoster infection.

Claim 15 (original): The external preparation according to claim 13, wherein said skin irritation is caused by psoriasis.

Claim 16 (currently amended): The external preparation according to claim 1 or 23, further comprising concurrently taking said oleaginous substances orally.

Claim 17 (currently amended): The external preparation according to claim 2 or 23, further comprising concurrently taking said germination-activated sporoderm-broken Ganoderma spores orally.

Claims 18 (currently amended): The external preparation according to claim 17, wherein said germination-activated sporoderm-broken Ganoderma spores are germinated in a soaking solution containing about 5% of mycelia of Ganoderma, 5% of mycelia of Corydeceps, 5% of malt extract, and 5% coconut juice in water.

Claim 19 (currently amended): The external preparation according to claim 18, wherein said germination-activated sporoderm-broken Ganoderma spores and said soaking solution are in a ratio of about 1 : 2 (weight : volume).

Claim 20 (currently amended): The external preparation according to claim 18, wherein said germination-activated sporoderm-broken Ganoderma spores are germinated in said soaking solution for about 8 hours at a temperature of about 25°C.

Claim 21 (currently amended): The external preparation according to claim ~~[[2]]~~ 17, wherein said germinated Ganoderma spores are activated in a cultural box at about 80% relative humidity for about 12 hours at about 25°C.

Claim 22 (cancelled)

Claim 23 (currently amended): ~~An~~ The external preparation according to claim 1, comprising:  
oleaginous substances extracted from germination-activated sporoderm-broken spores of  
*Ganoderma Lucidum* and a carrier,  
wherein said external preparation is a topical formulation having dermatological effect on external skin;  
wherein said topical formulation is applied to said external skin of a human;  
wherein said oleaginous substances are extracted from said sporoderm-broken spores of  
*Ganoderma Lucidum* by an SCF-CO<sub>2</sub> method; and  
wherein said topical formulation is capable of reducing inflammation of said external  
skin of said human.

Claims 24-35 (cancelled)